

NAPOLEON



VENT FREE FIREPLACES, STOVES & GAS LOGS

[napoleonfireplaces.com](http://napoleonfireplaces.com)



## All the features of a direct vent fireplace... without the venting

Torch™ - GVFT8 .....	4 - 5
Plazmafire™ - WHVF24 .....	6 - 7
Plazmafire™ - WHVF31 .....	6 - 7
GVF36 .....	8 - 9
GVF42 .....	10 - 11
Arlington™ - GVFS20 .....	12 - 13
GVFS60 .....	14 - 15
GVFL18, GVFL24, GVFL30, ZCVF36 & ZCVF42 .....	16 - 17
Napoleon's Outstanding Features .....	18 - 19
Options & Accessories .....	20 - 21
Detailed Specifications .....	22 - 23



GVFS60 shown in painted metallic black finish with a painted black trivet



## FIND YOUR HAPPY (fire)PLACE.

Throughout the ages, people have gathered around fires to share in life's greatest joys.

There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years to come, every Napoleon fireplace is backed by the President's Limited Lifetime Warranty.



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.

# Torch™ - GVFT8

## Slim Modern Design

An ultra modern vent free fireplace with a slim design featuring a reflective, prism shaped firebox. Napoleon's Torch™ features decorative glass embers, heat resistant glass and MIRRO-FLAME™ Porcelain Reflective Radiant Panels. Ideal for new construction and renovation projects, the Torch™ can be installed in hallways, entranceways, bathrooms, bedrooms, offices and spas.

Torch™  
6,000 BTU's  
15" w x 49 1/4" h with mounting cabinet  
Natural gas or propane

For more detailed specifications on this unit, see page 21

### Options & Accessories



Frames/Fronts  
Six Finish Options\*



LED Accent Light Kit  
Four Lights Included



Adjustable Mounting Cabinets  
Two Finish Options\*



The Torch™ shown with brushed stainless steel frame and mounting cabinet





The Torch™ shown with brushed stainless steel frame and painted metallic black mounting cabinet



MIRRO-FLAME™  
Porcelain Reflective  
Radiant Panels  
(standard with unit)



# Plazmafire™ - WHVF24 & WHVF31

## Easy Installation

Ideal for modern and contemporary rooms, the Plazmafire™ comes standard with a Topaz CRYSTALINE™ ember bed. Napoleon's Plazmafire™ features easy installation plus all of the conveniences of a vent free gas fireplace. Virtually endless installation possibilities, it's almost as easy as hanging a picture on the wall. Catalytic tiles come standard and perform as a "filter" reducing and removing combustion by-products. The Plazmafire™ 24 comes standard with a curved glass front and the Plazmafire™ 31 offers optional surrounds making it a great addition and focal point to any room.

Plazmafire™ 24	Plazmafire™ 31
Up to 9,000 BTU's	Up to 20,000 BTU's
50% flame/heat adjustment	43 5/16" w x 28" h
32 3/8" w x 22" h	Natural gas or propane
Natural gas or propane	

For more detailed specifications on this unit, see page 21



The Plazmafire™ 24 shown with standard curved glass front

## Options & Accessories



Convex Surround  
Brushed Stainless Steel Finish  
(for Plazmafire™ 31 only)



Safety Screen  
(for Plazmafire™ 31 only)



LED Light Kit  
Two Lights Included  
(for Plazmafire™ 31 only)



Rectangular Surrounds  
Two Color Options\*  
(for Plazmafire™ 31 only)



F45 & F60 Remote Controls  
On/off with Digital Screen  
(for Plazmafire™ 31 only)



Catalytic Filtering Tiles





The Plazmafire™ 31 shown with rectangular surround in painted black finish



Slate Brick Panel  
(standard with  
Plazmafire™ 31)



MIRRO-FLAME™  
Porcelain Reflective  
Radiant Panels (standard  
with Plazmafire™ 24)



Alternate Glass Media Kits & Glass Enhancement Kits  
Blue, Amber, Black, Red and Clear



# GVF36 - 36" Fireplace

A Multitude of Different Looks

With a multitude of designer options and a room warming 30,000 BTU's, it's no wonder the GVF36 is one of the best selling vent free fireplaces in North America. Complete with Napoleon's PHAZER® logs and advanced burner technology, the GVF36 produces beautiful YELLOW DANCING FLAMES®. The GVF36 provides cutting-edge, vent free technology with many designer options to suit your style.

## GVF36

Up to 30,000 BTU's

50% flame/heat adjustment

37 3/8" w x 35 1/2" h

Natural gas or propane

For more detailed specifications on this unit, see page 22


## Options & Accessories



3" Bevelled Trim Kits  
Two Color Options\*



6" Bevelled Trim Kit  
Textured Painted Black



Ornamental Insets  
Three Color Options\*



Louvers  
Three Color Options\*



Cast Iron Surrounds  
Painted Black Finish



F45 & F60 Remote Controls  
On/off with Digital Screen



Andirons  
Painted Black Finish



Standard fireplace screen








GVF36 shown with painted black louvers



Decorative Sandstone  
Brick Panels



MIRRO-FLAME  
Porcelain Reflective  
Radiant Panels



# GVF42 - 42" Fireplace

## Massive Viewing Area

A stunning 42" vent free fireplace that features a multi-level burner with realistic PHAZER® logs creating a beautiful display of YELLOW DANCING FLAMES® that fill the firebox. With the easy installation of vent free technology and the optional decorative accessories, the GVF42 efficiently transforms a room into a relaxing, warm oasis with a beautiful fireplace as the focal point.

### GVF42

Up to 30,000 BTU's

50% flame/heat adjustment

42" w x 38 1/2" h

Natural gas or propane

For more detailed specifications on this unit, see page 22

## Options & Accessories



Louvers  
Two Color Options\*



F45 & F60 Remote Controls  
On/off with Digital Screen



Andirons  
Painted Black Finish



GVF42 shown with painted black louvers and MIRRO-FLAME Panels





GVF42 shown with brushed stainless steel louvers and MIRRO-FLAME<sup>®</sup> Porcelain Reflective Radiant Panels



Decorative Sandstone  
Brick Panels



MIRRO-FLAME<sup>®</sup>  
Porcelain Reflective  
Radiant Panels



# Arlington™ - GVFS20

Good Things Come in Small Packages

The vent free Arlington™ gas stove, although compact in size, makes a powerful statement in any room. This Early American cast iron design features exquisite detail and styling that is complimentary to a wide variety of rooms. The Arlington™ features Napoleon's advanced burner system with flame/heat adjustment and a MIRRO-FLAME™ Porcelain Reflective Radiant Panel.

Arlington™

Up to 23,000 BTU's

50% flame/heat adjustment

19 ¼" w x 25 ¾" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 22

## Options & Accessories



F45 & F60 Remote Controls  
On/off with Digital Screen




Lorena slate stove top inset





The Arlington™ shown with standard MIRRO-FLAME® Porcelain Reflective Radiant Panels



MIRRO-FLAME®  
Porcelain Reflective  
Radiant Panel  
(standard with unit)



Stove Top Insets (natural stone will have variances in color and pattern)  
Available in Lorena Slate and Ubatuba Green finishes



# GVFS60 - Gas Stove

Solid Performance, Impressive Heating

The GVFS60 is known for its solid performance and impressive heating efficiencies. With its elegant fine detailing and sleek, sophisticated outer casting design, the GVFS60 offers more than just great performance. The GVFS60 is available in porcelain enamel Majolica brown and painted metallic black finishes offering you a choice to match your room décor.

## GVFS60

Up to 30,000 BTU's

50% flame/heat adjustment

27" w x 30 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 23

## Options & Accessories



Cast Iron Trivet  
Painted Black Finish  
(standard with unit)



Stove Finishes  
Two Color Options\*



Andirons  
Painted Black Finish



F45 & F60 Remote Controls  
On/off with Digital Screen



Solid cast iron, European design in porcelain enamel Majolica brown finish





GVFS60 shown in painted metallic black finish with a painted black trivet



Decorative Sandstone  
Brick Panels



# FIBERGLOW™ Vent Free Gas Log Sets

## Endless Design Possibilities

The exclusive PHAZER® logs, crafted from ceramic fibers, together with Napoleon's advanced burner system provide an excellent additional heat source with a real wood fire appearance. Napoleon's vent free gas log sets are available in three sizes, 18", 24" and 30" and come complete with a cast iron grate, painted black andirons and lava rocks/cinders.

### FIBERGLOW™ - 18"

Up to 40,000 BTU's  
50% flame/heat adjustment  
18"h x 24"w x 14"d  
Natural gas or propane

### FIBERGLOW™ - 24"

Up to 40,000 BTU's  
50% flame/heat adjustment  
18" x 28"w x 14"d  
Natural gas or propane

### FIBERGLOW™ - 30"

Up to 40,000 BTU's  
50% flame/heat adjustment  
18" x 34"w x 14"d  
Natural gas or propane

For more detailed specifications on these units, see page 23

## Options & Accessories



18"



24"



30"



F45 & F60 Remote Controls  
On/off with Digital Screen



Zero Clearance Firebox  
with Fireplace Screen  
Available in 36" & 42"



Cobblestone Brick Kit  
(for zero clearance firebox)



Lava Rocks / Cinders  
(standard with log sets)



ZCVF36 zero clearance firebox, cobblestone brick kit and the FIBERGLOW™ 24" log set







The FIBERGLow 30" log set shown with standard lava rocks and cinders



# Outstanding Features

of Napoleon's Advanced Technology



## Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.

## Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD<sup>®</sup> gas control system. All models come complete with an Oxygen Depletion Sensor (ODS) for your piece of mind.

## No Power? No Problem!

No electricity required to light or operate. Reliable heat even during power failures.

## Exclusive PHAZER<sup>®</sup> Logs

Napoleon's exclusive PHAZER<sup>®</sup> logs create a natural wood fire appearance.

## Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.

### Decorative Panels



Decorative Sandstone Brick



MIRRO-FLAME  
Porcelain Reflective Radiant Panels



Slate Brick Panel  
(standard on WHVF31)

### Louvers



Polished Brass Finish



Brushed Stainless Steel Finish



Painted Black Finish

### Ornamental Insets



24 Karat Gold Plated Finish



Brushed Stainless Steel Finish



Painted Black Finish

### Stove Top Insets



Lorena Slate



Ubatuba Green

### Stove Finishes




Painted Metallic  
Black Finish



Porcelain Enamel  
Majolica Brown Finish

### Cast Iron Trivets



Painted Black Finish

### Andirons

Designed to stand in front of the logs and give the optimum traditional masonry look and feel. They fit directly in a bay window, bay front kit or rest inside the firebox.



### Convenient Remote Controls

Napoleon's remotes with digital control give you the comfort level you need at the touch of a button.



### Cast Iron Surrounds



Painted Black Finish

### Bevelled Trim Kits



Brushed Stainless  
Steel Finish  
Available in 3"



Textured Painted  
Black Finish  
Available in 3" or 6"



### Cobblestone Brick Kit

Included with Napoleon's Zero Clearance fireboxes, ZCVF36 & ZCVF42 to add to the real wood fire appearance.



### LED Accent Light Kit

Optional accents lights are available for Napoleon's vent free Torch<sup>®</sup> and Plazmafir<sup>®</sup> to enhance your surrounding décor and double as an exclusive NIGHT LIGHT.




### Safety Screen

Safety screens are available to protect children, pets and visitors against inadvertent contact with glass. Glass and unit temperature can get very hot.

### Lava Rocks / Cinders

Designed for placement around the logs to enhance the look and feel of Napoleon's vent free gas log sets.



# Options & Accessories to Customize Your Fireplace

## Fronts & Frames



Decorative Frame  
White Finish



Decorative Frame  
Red Finish



Decorative Frame  
Steel Blue Finish



Decorative Frame  
Diamond Dust  
Pewter Finish



Decorative Frame  
Brushed Stainless  
Steel Finish



Decorative Frame  
Painted Metallic  
Black Finish



Mounting Cabinet  
Brushed Stainless  
Steel Finish



Mounting Cabinet  
Painted Metallic  
Black Finish



Rectangular Surround  
Diamond Dust Pewter Finish



Rectangular Surround  
Painted Black Finish



Convex Surround  
Brushed Stainless Steel Finish

Louvers (antique brass, brushed stainless steel and painted black finishes)

Ornamental Insets (painted black, 24 Karat gold plated and satin chrome finishes)

3" Bevelled Trim (brushed stainless steel and textured painted black finishes)

6" Bevelled Trim (textured painted black finishes)

Fronts & Frames (white, red, steel blue, diamond dust pewter, brushed stainless steel and painted metallic black finishes)

Mounting Cabinets (brushed stainless steel and painted metallic black finishes)

Stove Top Insets (lorena slate and ubatuba green)

Cast Iron Surround Kit (painted black finishes)

Rectangular Surrounds (painted black and diamond dust pewter finishes)

Convex Surround (brushed stainless steel finish)

MIRRO-FLAME® Porcelain Reflective Radiant Panels

Decorative Sandstone Brick Panels

Traditional Andirons (painted black finish)

LED Accent Lights

Cobblestone Brick Kit

Safety Screen

Fireplace Screen

Heat Circulating Blower Kit

Millivolt Wall Thermostat

Electronic Ignition

Oxygen Depletion Sensor (ODS)

Pre-wired For Wall Switch

On/off Remote with Digital Screen

\*Painted black finish only

\*\*Brushed stainless steel finish only


\*\*\*Painted black & brushed stainless steel only

Thermostats not available on non-heater appliances in the United States

	GVF18	WHVF24	WHVF31	GVF36	GVF42	GVFS20	GVFS60	GVFL18	GVFL24	GVFL30
Louvers (antique brass, brushed stainless steel and painted black finishes)	-	-	-	0	0***	-	-	-	-	-
Ornamental Insets (painted black, 24 Karat gold plated and satin chrome finishes)	-	-	-	0	-	-	-	-	-	-
3" Bevelled Trim (brushed stainless steel and textured painted black finishes)	-	-	-	0	-	-	-	0*	0*	0*
6" Bevelled Trim (textured painted black finishes)	-	-	-	0	-	-	-	-	-	-
Fronts & Frames (white, red, steel blue, diamond dust pewter, brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-	-
Mounting Cabinets (brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-	-
Stove Top Insets (lorena slate and ubatuba green)	-	-	-	-	-	0	-	-	-	-
Cast Iron Surround Kit (painted black finishes)	-	-	-	0	-	-	-	-	-	-
Rectangular Surrounds (painted black and diamond dust pewter finishes)	-	-	0	-	-	-	-	-	-	-
Convex Surround (brushed stainless steel finish)	-	-	0	-	-	-	-	-	-	-
MIRRO-FLAME® Porcelain Reflective Radiant Panels	S	S	-	0	0	S	-	-	-	-
Decorative Sandstone Brick Panels	-	-	-	0	0	-	0	-	-	-
Traditional Andirons (painted black finish)	-	-	-	0	0	-	0	S*	S*	S*
LED Accent Lights	0	-	0	-	-	-	-	-	-	-
Cobblestone Brick Kit	-	-	-	-	-	-	-	0*	0*	0*
Safety Screen	-	-	0	0	-	-	-	-	-	-
Fireplace Screen	-	-	-	S	S	-	-	S*	S*	S*
Heat Circulating Blower Kit	-	-	-	0	0	0	0	0*	0*	0*
Millivolt Wall Thermostat	-	-	-	0	0	0	0	0	0	0
Electronic Ignition	-	S	S	-	-	-	-	-	-	-
Oxygen Depletion Sensor (ODS)	S	S	S	S	S	S	S	S	S	S
Pre-wired For Wall Switch	-	-	-	S	S	-	-	-	-	-
On/off Remote with Digital Screen	-	-	0	0	0	0	0	0	0	0

\*If Zero Clearance firebox is also installed


**Torch™ - GVFT8**  
Shown on pages 4 & 5



Model	BTU's (Input)		Height (With Cabinet)	Front Width (With Cabinet)	Depth (With Cabinet)	ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
Torch™	6,000	6,000	49 11/16"	13"	7 9/16"	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards.


**Plazmafire™ - WHVF24**  
Shown on pages 6 & 7



Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
Plazmafire™ 24	9,000	9,000	22"	N/A*	32 3/8"	N/A*	6 7/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards.

**Plazmafire™ - WHVF31**  
Shown on pages 6 & 7




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
Plazmafire™ 31 - Rectangular	20,000	20,000	28"	N/A*	43 5/16"	N/A*	7 3/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes
Plazmafire™ 31 - Convex	20,000	20,000	29 1/2"	N/A*	48 3/8"	N/A*	9 1/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards.

\*Consult your owners' manual for wall bracket installations. Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States. Plazmafire™ 24 & 31 manufactured in China at Napoleon® Guangzhou.

## GVF36 - 36" Fireplace

Shown on pages 8 & 9




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
GVF36	30,000	30,000	35 1/2"	35 3/4"	37 3/8"	37 3/4"	13 1/4"	13 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards.

## GVF42 - 42" Fireplace

Shown on pages 10 & 11




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
GVF42	30,000	30,000	38 1/2"	39"	42"	42 1/2"	22"	22 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards.

## Arlington™ - GVFS20

Shown on pages 12 & 13




Model	BTU's (Input)		Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
Arlington™	23,000	23,000	25 3/8"	19 1/4"	15 3/4"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States.

## GVFS60 - Gas Stove

Shown on pages 14 & 15





Model	BTU's (Input)		Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
GVFS60	30,000	30,000	30 1/2"	27"	17 7/8"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards.

## FIBERGLOW<sup>™</sup> Log Sets

Shown on pages 16 & 17

Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
FIBERGLOW <sup>™</sup> 18"	18"	24"	14"
FIBERGLOW <sup>™</sup> 24"	18"	28"	14"
FIBERGLOW <sup>™</sup> 30"	18"	34"	14"




Certified under American National Standards.

## Zero Clearance Kits for Vent Free Log Sets

Shown on pages 16 & 17

Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
ZCVF36	32 3/4"	42 1/2"	21 1/4"
ZCVF42	35 3/4"	47 1/8"	21 1/4"



Certified under American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States.

# NAPOLEON CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
103 Miller Drive, Crittenden, Kentucky, USA 41030  
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



Authorized Dealer

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Products may not be exactly as shown. Napoleon® is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. Vent free units are not approved in Canada and some States.

Printed in Canada  
ADBR650 10/2015