


CONTEMPORARY



Creating Warmth... Inspiring Comfort



There is a decided difference between a house and a home. It's about creating a warm welcome that goes well beyond heating – an ambiance that reflects your personal style and beckons with its genial embrace. This concept is at the heart of every Hearthstone® Stove. Designed with the beauty of a fine piece of furniture, a Hearthstone Stove combines reliability with time-tested craftsmanship to become an essential part of your unique home experience.



HASE BARI WOOD
PG 4



HASE LIMA
PG 5



HASE TULA
PG 6

In the spirit of true traditional craftsmanship, Hearthstone's contemporary Euro Stoves are made by people who take great pride in their work. Fine European design, superior materials, and state-of-the-art development and production processes are intrinsic components of every Hearthstone contemporary stove. All stoves in the Euro Collection are smart products designed for the North American market: our wood stoves are EPA certified for clean-burn as well as the highest efficiency, while capable of burning overnight with logs up to 17". Our gas stoves and their components are all ANSI/CSA certified to the strictest North American standards to assure your comfort, safety and long product life.

Integrity at every turn. That's what gives Hearthstone Stoves their unmatched appeal, and has for over 30 years. We invite you to get acquainted with our collection of contemporary stoves starting on these pages.



There's a Hearthstone That's Perfect for You...

Carbon-neutral woodburning or ultra-efficient gas-fired. Classically-styled or contemporary. For heating your entire home or just warming a single room. With so many choices – and so many finishes – the joy of Hearthstone is that there's bound to be one that's perfect for you. More than a name, the Hearthstone brand is an assurance – a guarantee that your appliance is built in the rich tradition of our company, and will serve you faithfully for years to come. Welcome to the world of Hearthstone. We're confident you'll feel right at home.



hearthstone

eurocollection

CONTEMPORARY



HASE BARI GAS
PG 7



HASE MODENA
PG 8




HASE LUNO
PG 9

hase **BARI** WOODSTOVE

Size: 35,000 BTUs | Heats up to: 1,400 sq. ft.
EPA rating: 3.5 grams per hour | Maximum log length: 17" Loaded Vertically | Model: #8170


Recommended
glass hearth pads:

Set for rotation





45-1/4" W (Base)
55" W (Overall)
43-1/4" D
Part # 91-84700

Rotation-locked



33-1/2" W
43-1/4" D
Part # 91-84750



Bari shown in Black/Lava

Finish:



Gray / Soapstone



Black / Lava


*Bari shown in
Silver Gray/Soapstone*

*The Bari can be rotated 180 degrees
on its axis, enabling it to be positioned
in 13 different locked positions.*


Size: 35,000 BTUs | Heats up to: 1,400 sq. ft.
 EPA rating: 3.57 grams per hour | Maximum log length: 17" Loaded Vertically | Model: #8150

hase **LIMA**
 WOODSTOVE

*Lima shown
 in Black/Lava*




Top view




Lima shown in Mojave

Finish:




Recommended
 glass hearth pads:

Set for rotation



45-1/4" W (Base)
 55" W (Overall)
 43-1/4" D
 Part # 91-84700

Rotation-locked




33-1/2" W
 43-1/4" D
 Part # 91-84750

FOR
 ADDITIONAL
 SPECIFICATIONS
 AND OPTIONS
 TURN TO
 PAGE 10

hase **TULA**
WOODSTOVE


Size: 30,000 BTUs | Heats up to: 1,200 sq. ft.
EPA rating: 2.5 grams per hour | Maximum log length: 17" Loaded Vertically | Model: #8190

Recommended
glass hearth pad:




33-1/2" W
43-1/4" D
Part # 91-84750

Front view




Top view



Tula shown in Umbra

Finish:



*Tula shown
in Charcoal*




Functional and simple in design, compact and easy to operate: the Tula focuses on the essentials, adding a special touch. The one-piece firebox door features a distinctive glass frame.


FOR
ADDITIONAL
SPECIFICATIONS
AND OPTIONS
TURN TO
PAGE 10

Size: 26,500 BTUs | Heats up to: 1,300 sq. ft.
Steady State 74-80% | Model: #8180



hase **BARI** GAS STOVE



Recommended
glass hearth pad:



35-1/2" Diameter
Part # 91-84800



Finish:

Gray / Soapstone

FOR
ADDITIONAL
SPECIFICATIONS
AND OPTIONS
TURN TO
PAGE 11


hase MODENA

GAS STOVE

Size: 26,500 BTUs | Heats up to: 1,300 sq. ft. | Steady State Efficiency 74-80%


Model: #8140

Recommended
glass hearth pad:




39-1/2" x 39-1/2"
Part # 91-84400


Front view



Side view



Top view



Finish:

 Charcoal



The Modena's firebox comes standard with ceramic fire stones (shown left). An optional realistic log set is available (shown right).





The Modena's fire glows from three sides, so the view of the flames is perfect from any angle. This stove is designed to reflect the fire with a mirrored effect.


FOR
ADDITIONAL
SPECIFICATIONS
AND OPTIONS
TURN TO
PAGE 11

Size: 26,500 BTUs | Heats up to: 1,300 sq. ft. | Steady State 74-80% | Model: #8160

hase **LUNO**
GAS STOVE



Recommended glass hearth pad:



35-1/2" Diameter
Part # 91-84800

FOR
ADDITIONAL
SPECIFICATIONS
AND OPTIONS
TURN TO
PAGE 11



Finish:



Gray / Soapstone



Black / Soapstone



The ultrasleek, thermostatic remote control included with every Euro Collection gas stove allows you to light a fire and control the room temperature with the touch of a button.

The Luno gas stove is specifically designed to harmonize with a modern sensibility. Made with two semicircular elements, the stove remains slim despite its large firebox.

hase BARI WOODSTOVE



Model: #8170
 Burn time: up to 8 hours
 Size: 35,000 BTUs
 Heats up to: 1,400 sq. ft.
 Efficiency: 80%
 EPA rating: 3.57 grams per hour
 Maximum log length: 17" (loaded vertically)

Dimensions:
 Height 44"
 Width 19-1/2"
 Depth 19-1/2"
 Weight 465 lbs.

Distance from back wall of stove
 to flue pipe center: 9-3/4"

hase LIMA WOODSTOVE



Model: #8150
 Burn time: up to 8 hours
 Size: 35,000 BTUs
 Heats up to: 1,400 sq. ft.
 Efficiency: 80%
 EPA rating: 3.57 grams per hour
 Maximum log length: 17" (loaded vertically)

Dimensions:
 Height 47-5/8"
 Width 19"
 Depth 19"
 Weight 475 lbs.

Distance from back wall of stove
 to flue pipe center: 9-3/4"

hase TULA WOODSTOVE




Model: #8190
 Burn time: up to 6 hours
 Size: 30,000 BTUs
 Heats up to: 1,200 sq. ft.
 Efficiency: 88%
 EPA rating: 2.55 grams per hour
 Maximum log length: 17"
 (loaded vertically)


Dimensions:
 Height 41-1/4"
 Width 19-3/4"
 Depth 17-1/4"
 Weight 291 lbs.

Distance from back
 wall of stove to flue
 pipe center: 9-3/4"

Floor protection




Bari / Lima floor protection



Floor protection for stoves
 only in the locked position


Floor protection for stoves
 capable of rotating

Bari / Lima clearances



Clearances (inches)	Parallel							Corner					
	A	B	C	D	E	F	G	H	I	J	K	L	
Single or double wall	38	17	26.5	47.5	17	7	16.5	26.5	12	18.5	21.5	30.5	
	Centimeters	96.5	43	67.5	120.5	43	18	42	67.5	30.5	47	55	77.5

Alcove Clearances (inches)	Protected Surfaces (NFPA-211)	
	Unprotected Surfaces	Protected Surfaces (NFPA-211)
Minimum alcove width	46	See NFPA-211
Maximum alcove depth	46	See NFPA-211



Clearances	Parallel				Corner
	E	F	G	H	I
Single wall Connector	15" - 28 cm	12" - 31 cm	20-1/2" - 52 cm	25" - 63.5 cm	11" - 28 cm
Double Wall Connector	15" - 38 cm	7" - 18 cm	14-1/2" - 37 cm	25" - 63.5 cm	11" - 28 cm

Alcove Clearances	Protected surfaces (NFPA-211)	
	Unprotected surfaces	Protected surfaces (NFPA-211)
Minimum alcove width	50" - 127 cm	See NFPA-211
Maximum alcove depth	48" - 122 cm	See NFPA-211

hase **BARI**
GAS STOVE




Extended HeatLife™ with soapstone exterior

Model #8180
Btu range: 15,000-26,500
Energuid rating: 55.76%
AFUE efficiency rating: 66.8%
Steady State Efficiency: 74-80%
Heating area: 1,300 sq. ft.

Dimensions:
Height: 44"
Width: 19 1/2"
Depth: 19 1/2"
Weight: 300 lbs.

Certified to
ANSI Z21.88-05- CAS2.33-05

Distance from rear edge of stove to flue pipe center:
9 3/4"



hase **MODENA**
GAS STOVE




Model #8140
Btu range: 15,000-26,500
Energuid rating: 55.76%
AFUE efficiency rating: 66.8%
Steady State Efficiency: 74-80%
Heating area: 1,300 sq. ft.

Dimensions:
Height: 49"
Width: 18"
Depth: 18"
Weight: 321 lbs.

Certified to
ANSI Z21.88-05- CAS2.33-05

Distance from rear edge of stove to flue pipe center:
10 1/4"



hase **LUNO**
GAS STOVE




Model #8160
Btu range: 15,000-26,500
Energuid rating: 64.28%
AFUE efficiency rating: 69.7%
Steady State Efficiency: 77-80%
Heating area: 1,300 sq. ft.

Dimensions:
Height: 45 1/2"
Width: 20"
Depth: 17 3/4"
Weight: 250 lbs.

Certified to
ANSI Z21.88-05- CAS2.33-05


Distance from rear edge of stove to flue pipe center: 5"



Warranty: HearthStone warrants all its Euro Collection wood and gas stoves and inserts to the original purchaser for 5 years of the appliance to be free from defects in material and workmanship, with certain limitations as defined in our Limited Lifetime Warranty policy. See your HearthStone dealer for complete details and a copy of our warranty policy.

Note: Always refer to the HearthStone Owner's Manual and the local authority having jurisdiction in your area for the specific installation requirements for your stove.

EnerGuide is a Government of Canada rating system that provides consumers with comparative information on the energy performance of energy-using products sold in Canada. For more information on the EnerGuide Program, please go to the EnerGuide web site at: www.oce.nrcan.gc.ca/equipment/





317 Stafford Avenue
Morrisville, Vermont 05661
E-mail: warm@hearthstonestoves.com
www.hearthstonestoves.com
877-877-2133

HearthStone is the exclusive supplier of HASE products in North America. **hase**



Mixed Sources
Product group from well-managed
forests, controlled sources and
recycled wood or fiber

Cert no. SW-COC-1795
www.fsc.org
© 1996 Forest Stewardship Council

